

# Del City Crimp Tool Comparison Chart

Part Number	Description	Ratchet Y/N	Gauge Range	Terminal Type/s					MFG PN	Additional Information
				Non-insulated	Insulated	Open Barrel /F&B	Closed Barrel	Battery		
9990010	Rennsteig 610 001 0, Ferrule Crimping Pliers, 23-13 AWG "	N	23-13	X	X				610 001 0	Designed for crimping insulated and non-insulated ferrules 23-13 gauge (.025-2.5 SQ-MM). Use for solder-free electrical connections.
19015157	Gardner Bender ECM GS-388, Crimper, Light Duty, 22-14 Ga	N	22-14	X	X				ECM GS-388	Crimps insulated or non-insulated terminals. Cuts copper and aluminum wire.
990170	Aptiv (Delphi) T-11 TOOL, Crimp Tool, 22-12 Gauge Open Barrel F-Type OEM #12085271	N	22-12	X		X			T-11 TOOL	Designed to crimp non-insulated, open barrel terminals. Five cavities perform "B" type conductor and insulation crimps. Uses the same five crimp cavities as the professional Delphi/Packard 12085271 tool, but is built on a less expensive, non-ratchet frame. Ideal for Deutsch Compatible A Series Connectors, Deutsch Stamped & Formed contacts, Metri-Pack 150, 150.2, 280, 480, and 630 Series terminals.
990198	NSPA T-WT-2000, Crimping Tool, 22-10 Ga	N	22-10	X	X				T-WT-2000	Multifunctional tool designed for crimping vinyl, nylon-insulated, non-insulated, and heat shrink terminals. The pliers is a wire cutter, bolt cutter, crimping nest, insulated or non-insulated stripper for 22-10 gauge solid or stranded wire. Cuts screw sizes: 4-40, 6-32, 8-32, 18-24, 18-32.
992007	Ancor 702007, Cut/Strip/Crimp Multi-Tool 22-10 AWG	N	22-10	X	X				702007	Crimps insulated and non-insulated terminals, connectors and spark plug terminals in special cavities. Cuts (4) 40/2 mm, (6) 32/4 mm, (8) 32/4.8 mm, (10) 32/6.4 mm and 10-24/6.4 mm bolts.
990172	Aptiv (Delphi) 6285847, Open Barrel Crimp Tool	N	20-10	X		X			6285847	Crimps OEM non-insulated open barrel terminals. Rollover crimps on both stranding and insulation. Crimps 929895, 929875, 950275, 925725, 14601422, 14601622, 14621422, 14621622 (Packard and AT)
990172	Aptiv (Delphi) 6285847, Open Barrel Crimp Tool, 20-10 Ga	N	20-10	X		X			6285847	Designed to crimp open barrel non-insulated terminals, also commonly referred to as OEM style terminals. Five dies make rollover crimps on both stranding (electrical crimp) and insulation (strain relief crimp). Recommended for Packard 56 Series terminals.
990023	Sargent Tools 6228 CT, Battery Crimp Tool, Square Crimp, 8-1 Ga	N	8-1					X	6228 CT	Designed to crimp battery terminals and cable lugs from 8 to 1-gauge. Square crimps require less force to complete the crimp to UL tensile values. No dies to move or switch.
990005	Quick Cable 4245-001, Junior Heavy Duty Hex Crimp Tool, 8 - 1/0 Gauge, Adjustable Heads	N	8-1/0					X	4245-001	Performs hex-crimps. Adjustable heads for various gauge sizes.
990002	Ancor 703040, Heavy Duty Hex Crimp Tool, 8-4/0 Gauge	N	8-4/0					X	703040	Designed to crimp battery terminals and cable lugs. Hex-crimp design provides equal pressure on six sides of the terminal or lug.
990015	Quick Cable 4266-001, Hammer Crimp Tool, 8 - 4/0 Gauge	N	8-4/0					X	4266-001	Performs v-crimps. Can be used with either a hammer or a vice.
990017	E-Z RED B7946, 3 Point Crimper 8 - 4/0 Gauge	N	8-4/0					X	B7946	Performs 3 point crimps. Used with a ratchet and wrench
990003	Sargent Tools 6225 CT, Battery Crimp Tool, Open Barrel B-Crimp, 6-1 Ga"	N	6-1	X		X			6225 CT	Designed to perform B-shaped crimps on open barrel OEM style battery terminals. No dies to move or switch.
990065	Molex 19284-0034, Heavy-Duty Crimp Tool 6-4/0 Ga Interchangeable V-Crimp Dies	N	6-4/0					X	19284-0034	Crimps battery terminals and cable lugs from 6-gauge up to 4/0-gauge. Three crimp dies included.
990000	Quick Cable 4255-001, Heavy Duty Hex Crimp Tool 6 - 4/0 Gauge, Adjustable Heads	N	6-4/0					X	4255-001	Crimps battery terminals and cable lugs from 6-gauge up to 4/0-gauge. Hex-crimp design provides equal pressure on six sides of the terminal or lug. Use with Die Set Del #8100020 (Quick Cable PN 4255-001K)

# Del City Crimp Tool Comparison Chart

Part Number	Description	Ratchet Y/N	Gauge Range	Terminal Type/s					MFG PN	Additional Information
				Non-insulated	Insulated	Open Barrel / F&B	Closed Barrel	Battery		
990001	E-Z RED B795, Heavy Duty V-Style Crimp Tool, 6 - 4/0 Gauge, Adjustable Head	N	6-4/0					X	B795	Designed to crimp battery terminals and cable lugs from 6 to 4/0-gauge. The finished crimp takes the form of the v-crimp tooling. No dies to move or switch.
990021	Sargent Tools 6227 CT, Battery Crimp Tool, Square Crimp, 2-3/0 Ga	N	2-3/0					X	6227 CT	Designed to crimp battery terminals and cable lugs from 2 to 3/0-gauge. Square crimps require less force to complete the crimp to UL tensile values. No dies to move or switch.
990019	Sargent Tools 6226 CT, Battery Crimp Tool, Square Crimp, 3/0-4/0 Ga	N	3/0-4/0					X	6226 CT	Designed to crimp battery terminals and cable lugs from 3/0 to 4/0-gauge. Square crimps require less force to complete the crimp to UL tensile values. No dies to move or switch.
9990185	Rennsteig 610 185 3, Ferrule Crimping Tool, 28-5 AWG	Y	28-5	X	X				610 185 3	Designed for crimping insulated and non-insulated ferrules 28-5 gauge (.08-16 SQ-MM). Use for solder-free electrical connections.
993030	Ancor 703030, Double Crimp Ratchet Tool 26-10 AWG "	Y	26-10		X				703030	Crimps vinyl and nylon terminals. Double Crimps stranding and insulation portion of connectors in one motion for superior strain relief.
993035	Ancor 703035, Angled Double Crimp Ratcheting Crimper 26-10 AWG	Y	26-10		X				703035	Crimps vinyl and nylon terminals. Angled head design is ideal for use in tight spaces.
990020	NSPA T-R-45, Heat Shrink, Solder Sleeve Ratchet Crimping Tool, 24-10 Ga	Y	24-10		X				T-R-45	Designed for crimping vinyl, nylon-insulated, and heat shrink terminals. It is the only UL-certified tool for installing crimpable heat shrink and solder sleeve connectors.
990174	Aptiv (Delphi) T-18, Metri-Pack & Weather-Pack 150 & 280 Crimp Tool with Terminal and Seal Nests	Y	22-14	X		X			T-18	Designed for crimping Weather-Pack and Metri-Pack 150 and 280 Terminals. Crimps open barrel terminals and seals with 5 total crimp stations.
990135	3M TR-490, Ratchet Crimp Tool, Insulated/Non-Insulated Terminal 22 - 10 Gauge"	Y	22-10	X	X				TR-490	Five-station ratchet tool is a single crimp tool with three stations for insulated 22-10 gauge terminals and two stations for non-insulated 22-10 gauge terminals
"990130	3M TR-482, Ratchet Crimp Tool, Double Insulated Terminals 22 - 10 Gauge	Y	22-10	X	X				TR-482	Crimps barrel and insulation terminals and connectors. Also crimps nylon and vinyl-insulated, butted or brazed seam and standard or short barrel terminals.
993010	Ancor 703010, Single Crimp Ratchet Tool 22-8 AWG	Y	22-8		X				703010	Crimps vinyl and nylon, as well as heat shrink terminals.
993015	Ancor 703015, Angled Single Crimp Ratcheting Crimper 22-8 AWG	Y	22-8		X				703015	Crimps vinyl and nylon, as well as heat shrink terminals. Angled head design is ideal for use in tight spaces.
990025	NSPA T-R-50, Heat Shrink Terminal Ratchet Crimp Tool 22 - 8ga	Y	22-8		X				T-R-50	Features an 4 crimp nests- 8, 10-12, 14-16, 22-18. An alignment guide ensures that the dies will not slip during crimping. UL certified when used with UL terminals.
9990012	Rennsteig PEW12, Hand Crimp Tool Frame	Y	22-4	X		X			PEW12	Designed for crimping Weather-Pack and Metri-Pack, GT 150 & 280 and AMP Superseal 1.5 Series non-insulated terminals. Delphi-approved. Produces a production quality crimp meeting the OEM spec. Crimp Dies sets sold seperately.
998890	Tool Aid 18890, Crimp Tool, Size 20/22 Closed Barrel Contacts	Y	20-22	X			X		18890	For use with Amphenol ATM or Deutsch DTM closed barrel terminals. For crimping part number 14622012 & 14602022.
906485	Aptiv (Delphi) 12014254, Weather-Pack Self-Orientating Crimper, 20-14 Ga	Y	20-14	X		X			12014254	Designed for crimping Weather-Pack Terminals with a ratchet assembly.

# Del City Crimp Tool Comparison Chart

Part Number	Description	Ratchet Y/N	Gauge Range	Terminal Type/s					MFG PN	Additional Information
				Non-insulated	Insulated	Open Barrel / F&B	Closed Barrel	Battery		
908485	Aptiv (Delphi) 12155975, Metri-Pack 150 & 280 Crimper, 20-14 Ga (1 MIN)	Y	20-14	X		X			12155975	Designed for crimping Metri-Pack 150 & 280 Terminals
"15114800	Deutsch HDT-48-00, Crimp Tool, Four Indent, Size 20/16/12 Solid	Y	20-12	X			X		HDT-48-00	For use with DEUTSCH closed barrel terminals., Size 20 DTM, Size 16 DT, & Size 12 DTP. Creates a four-indent crimp.
9990060	Rennsteig 624 060 3 0, Hand Crimp Tool, Insulated Terminals, 20-10 Ga	Y	20-10		X				624 060 3 0	Designed for crimping insulated terminals with the Rennsteig PEW12 (9990012) Hand Crimp Tool Frame and a die set specifically designed for insulated terminals.
9990050	Rennsteig 624 050 3 0, Hand Crimp Tool with Locator, B Crimp Terminals, 20-10 Ga	Y	20-10	X		X			624 050 3 0	Designed for crimping for B Crimp or Roll Over Terminals with the PEW12 Hand Crimp Tool Frame and a die set specifically designed for B Crimp Terminals.
9990032	Rennsteig 624 032 3 0, Hand Crimp Tool, Non-insulated Terminals, 20-6 Ga	Y	20-6	X					624 032 3 0	Designed for crimping non-insulated terminals with the PEW12 Hand Crimp Tool Frame and a die set specifically designed for non-insulated terminals.
998880	Tool Aid 18880, Crimp Tool, Size 14/16/18 Closed Barrel Contacts	Y	16-18	X			X		18880	For use with Amphenol AT or Deutsch DT closed barrel terminals.
990165	FTZ Industries 94330, Ratchet Crimp Tool, Insulated Terminals 16 - 8 Gauge	Y	16-8		X				94330	Crimps vinyl and nylon, as well as heat shrink terminals.
906495	Aptiv (Delphi) 12085270, Weather-Pack Crimper, 16-14 Ga	Y	16-14	X		X			12085270	Designed for crimping Weather-Pack Terminals
998860	Tool Aid 18860, Crimp Tool, Size 12 Closed Barrel Contacts	Y	12	X			X		18860	Designed to crimp Amphenol ATP/AHD or Deutsch DTP/DTHD closed barrel terminals. For crimping part number 14602031 & 14602041.
908495	Aptiv (Delphi) 12071687, Metri-Pack 150 & 280 Crimper, 12-10 Ga (1 MIN)	Y	12-10	X		X			12071687	Designed for crimping Metri-Pack 150 & 280 Terminals
9990969	Rennsteig 624 969 3 1, Hand Crimp Tool w/Locator, TE Solarlok PV4, 12-10 Ga	Y	12-10	X		X			624 969 3 1	Designed for crimping TE Solarlok PV4 connectors consists of the PEW12 Hand Crimp Tool Frame and a die set specifically designed for TE's Solarlok PV4 contacts. Crimps both male and female terminals. Crimps Del City parts 91024 & 91025.
"990042	TE Connectivity 1-1579004-2, Solar PV Connector Crimp Tool, 12-10 Ga	Y	12-10	X		X			1-1579004-2	Designed specifically to crimp Solar Photovoltaic (PV) connector contacts, and will work with all industry standard connectors size 12-10 gauge. Includes crimp head and locator.
9990570	Rennsteig 624 570 3 1, Hand Crimp Tool w/Locator, Multi-Contact/Stäubli MC4, 12-10 Ga (1 MIN)	Y	12-10	X		X			624 570 3 1	Designed for crimping Stäubli MC4 connectors consists of the PEW12 Hand Crimp Tool Frame and a die set specifically designed for Stäubli MC4 contacts. Crimps both male and female terminals. Crimps Del City parts 92017, 93017, 94017, 92016, 93016, 94016.